

Compound Leverage Arbor Press Instruction and Parts list

MODEL 3

Please contact factory for current prices.


Ordering information: Please order all repair parts by part number and name, also mention model number of press. All parts are shipped F.O.B. Factory in Grand Haven, MI.

Lubrication: Keep all working parts of the press well oiled for easier operation. Also keep a light film of oil over the entire surface of the ram to prevent rust.

Distributed by: Trick-Tools.com

Phone:1-877-VAN-SANT
E-mail: sales@trick-tools.com

1 7/2/07









SAFETY

This is the safety alert symbol. When you see this symbol on your press, be alert to the potential for personal injury.

Follow recommended precautions and safe operating practices.

Carefully read all safety messages in these instructions and on your press safety signs. Keep safety labels in good condition. Replace missing or damaged safety labels.


This machine is intended to be operated by one person. This person should be conscious of the press ram movement not only for themselves but also for persons in the immediate area of the machine.

Under no circumstances increase the leverage ratio of the press by using a longer handle or by placing a pipe over the handle. Never hammer on top of the ram.

7/2/07

NOTE: Please refer to parts drawing for identification of components outlined on this safety warning sticker.

Model: 3





This is the safety alert symbol. When you see this symbol on your press, be alert to the potential for personal injury.

3 7/2/07