



FOR MAKERS. SINCE 1957.

WERKZEUGE UND WERKZEUGERSATZTEILE

Tooling and Tooling Spares
Outils et pièces de rechange
Utensili e pezzi di ricambio
Útiles y piezas de recambio



ECKOLD KRAFTFORMER 'PICCOLO' KF 340 KF 324


(KF 330, KF 320, KF 314, KF 310, KF 309)



Distributed by: **Trick-Tools.com**

Trick-Tools
75 Truman Road
Pella, IA 50219

Phone: 1-877-VAN-SANT
E-mail: sales@trick-tools.com



Here at Trick Tools we believe that our customers deserve the best value in their tool and equipment purchases. We are constantly at work searching out a variety of high quality, high performance tools to offer at the best prices possible. Our commitment to you is that we will not offer "cheap junk" anywhere on our website. You, the customer, help us to evaluate our products constantly and as soon as an ongoing quality issue is uncovered we will correct it or discontinue that product immediately. We hope to earn your continued trust.

KS 50 S		Bestell-Nr Order no. No. de commande	Dimension (mm)	kg	Leistung / Capacity / Capacité max. (mm)		
					Stahl / Steel / Acier (~400 N/mm ²)	Inox. 18/8 (~600 N/mm ²)	Aluminium (~250 N/mm ²)
		004.120.0020		10,2	2,0	1,0	2,0

Schnabelwerkzeug Typ KS 50 S

zum Stauchen von U-Profilen mit geringer Steghöhe. Eine Verstellvorrichtung ermöglicht die Anpassung des Werkzeuges an unterschiedliche Materialstärken.

Beak Shaped Shrinking Tool Type KS 50 S

for shrinking low webbed U-profiles. An adjusting device facilitates accurate adjustment of the tool meet different material thicknesses.

Outil à bec type KS 50 S


pour le formage par rétreint des profilés en U d'une hauteur d'âme très faible. Un dispositif de réglage permet l'ajustage de l'outil pour les différentes épaisseurs de tôle.

Utensile a becco tipo KS 50 S

per la formatura per mezzo di ricalcamento di profilati a U di anima molto bassa. Un dispositivo di regolazione permette l'aggiustamento dell'utensile per diversi spessori di lamiera.

Herramienta de pico tipo KS 50 S

para la conformación por medio de recalco de perfiles en U con la pieza de unión de altura reducida. Un dispositivo de regulación permite el ajuste exacto para cualquier espesor de chapa.



Ersatzteile

Ein Satz entspricht der Bestückung für einen kompletten Satz Elastikformwerkzeug.

Spare parts

One set is defined as sufficient to equip one set of Elastic Forming Tool.

Pièces de Rechange

Un jeu correspond au nombre nécessaire pour l'équipement d'un outil complet.

Parti di Ricambio

Per serie si intende il quantitativo di particolari necessari a dotare completamente l'utensile.

Piezas de Recambio

Un juego corresponde al equipo completo de la herramienta moldeadora elástica.

ECKOLD-KRAFTFORMER 'PICCOLO'					Ersatzteile Spare Parts Pièces de Rechange		KS 50 S
Pos. No.	Satz Set Jeu Serie Juego	Stück Piece Pièce Pezzo Pieza	Bezeichnung Description	Désignation Denominazione Denominacion	Dimension / Typ Dimension / Type Dimensione / Tipo Dimensión / Tipo	Ident.-No (Für D/NL)	Artikel Nr. Order No. No. de commande No. per l'ordine No. de pieza
	1		Schnabelwerkzeug Beak-shaped Tool	Outil à bec Utensilo a becco Herramienta de pico	KS 50 S	0000 000 2159	004.120.0020
1.		1	Tragkörper Tool body	Corps support Corpo portante Cuerpo	2101S	0040 205 1682	006.100.0000
2.		1	Druckplatte Pressure plate	Plaque de pression Copertura a pressione Placa a presión	2104S	0040 207 6381	006.190.0000
3.		2	Schenkel, o. links + u. rechts Leg top left or lower right	Bras supérieur gauche ou inférieur droit Braccio superiore sinistro o inferiore destra Brazo superior izquierdo o inferior derecho	2106	0040 207 6188	006.365.0032
4.		1	Schenkel, unten links Leg lower left	Bras inférieur gauche Braccio inferiore sinistro Brazo inferior izquierdo	2105	0040 207 6167	006.365.0030
4.a		1	Schenkel, oben rechts Leg top right	Bras supérieur droit Braccio superiore destro Brazo superior derecho	2105A	0040 207 6167	006.365.0029
5.		1	Traverse Flexible mounting block	Traverse Piasta di innesto Traversano	2110	0030 205 1206	006.400.0000
6.		1	Rändelmutter mit Rastenplatte Knurled adjusting screw with plate	Vernier avec plaque support Volantino di regolazione con rosetta Tuerca moldeada con placa	2410KSL	0000 000 1359	006.420.0000
7.		1	Druckkappe, unten Pressing top, lower	Cuvette compression inférieure Copertura a pressione inferiore Cubeta de compresión inferior	2104	0040 203 9059	006.170.0000
8.		1	Druckkappe, oben Pressing top, upper	Cuvette compression supérieure Copertura a pressione superiore Cubeta de compresión superior	2103	0040 203 9108	006.165.0000
9.		1	Stützscheibe Support plate	Plaque support cuvette Piasta di appoggio Pieza de apoyo	2108S	0040 207 6360	006.410.0000
10.		1	Hammerplatte Hammer plate	Plaque marteau Piasta di martello Placa de martillo	2122S	0010 010 2836	006.430.0000
11.	1	2	Federkörper Rubber spring body	Corps elastique Corpo elastico Cuerpo elastico	623	0030 201 0301	006.220.0020
12.		1	Scheibe Washer	Amortisseur Disco Disco	2117	0040 207 6584	006.440.0000
13.	1	2	Lasche Suspension arm	Bretelle élastique Guancia Brida	2107S	0030 205 2208	006.450.0000
14.		1	Keil Adjusting wedge	Coin de réglage d'ouverture Cuneo Chaveta	2112	0000 000 0886	006.460.0000
15.		1	Zeiger Indicator	Indicateur Indicatore Indicador	2408	0040 207 6625	006.470.0000
16.	1	4	Einsatzstollen mittel Jaw plate medium	Mâchoire moyenne Piasta media Matriz mediana	526/m	0040 201 0208	006.240.0020
17.	1	8	Zylinderschraube Cylindric cap screw	Vis cylindrique Vite cilindrica Tornillo cilindrico	DIN 6912, M6 x 10 2125	0050 691 2081	006.550.0020
18.	1	4	Senkschraube Countersunk screw	Vis à tête fraisée Vite a testa piana Tornillo avellanado	DIN 7991, M6 x 20 2124	0050 799 1163	006.560.0000
19.	1	2	Linsensenkschraube Cone head screw	Vis à tête fraisée bombée Vite a testa lenticolare Tornillo de cabeza de lenteja	DIN 966 A, M5 x 12 2126	0050 096 4426	006.580.0000
20.		2	Gummipuffer Rubber buffer	Bloque élastique Distanziatori in gomma Amortiguador de caucho	2120 KS	0075 051 0054	006.305.0050
21.		4	Senkschraube Countersunk screw	Vis à tête fraisée Vite a testa piana Tornillo avellanado	DIN 7991, M5 x 20 2127	0050 799 1684	006.560.0010
22.	1	4	Zylinderstift Cylindrical pin	Crayon de cylindre Perno cilindrico Pastel de cylindre	DIN 6325, Ø 4m6 x 12 427	0071 305 0049	006.260.0000
23.		2	Steckkerbstift Grooved dowel pin	Rivet Perno Pasador de muesca	DIN 1474, Ø 6 x 18 2132	0050 147 4070	006.610.0020
ECKOLD AG Rheinstrasse 8 CH-7203 Trimmis Switzerland +41 81 354 12 70 www.eckold.com machines@eckold.ch							