

# SETUP INSTRUCTIONS

## - 48" x 30" RHINO CART



1. PARTS LIST
2. ASSEMBLY INSTRUCTION
3. OPTIONAL ACCESSORIES
4. RELATED PRODUCTS
5. MAINTENANCE
6. SAFETY
7. LIMITED WARRANTY

Tabletop Sizes:  
48" x 30"

Tabletop Flatness:  
±0.015" per 24" x 24"

Static Loading Capacity:  
1,500 lb

Tabletop Frame Height:  
4"

Gross Weight:  
490 lb

**Trick-Tools.com**

75 Truman Road  
Pella, IA 50219

Phone: 1-877-VAN-SANT

E-mail: [sales@trick-tools.com](mailto:sales@trick-tools.com)




**TD5-4830Q-F3**

**!** Carefully unpack all parts and components to make sure you have all the listed parts.

**📖** Thoroughly read the assembly instructions and follow them carefully.







**🔧** It is recommended to utilize a lifting device and have at least two people for assembly.

**☎** Contact our customer service if any questions: (800)-989-5244 or [cs@stronghandtools.com](mailto:cs@stronghandtools.com)



| #  | Description                    | Qty |
|----|--------------------------------|-----|
| A1 | 48" x 30" Table Plate w/ Frame | 1   |
| A2 | Debris Collection Tray 1       | 1   |
| A3 | Table Leg 1                    | 2   |
| A4 | Table Leg 2                    | 2   |
| A5 | Swiveling Caster               | 2   |
| A6 | Standard Caster                | 2   |
| A7 | Leveling Pad                   | 4   |
| A8 | Lower Tray                     | 1   |
| A9 | Divider Panel                  | 1   |

| #   | Description              | Qty |
|-----|--------------------------|-----|
| A10 | Handle                   | 1   |
| A11 | Tool Hanger              | 1   |
| A12 | Pegboard                 | 1   |
| A13 | Middle Tray              | 1   |
| A14 | Tray Holder 3            | 1   |
| A15 | Tray Holder 1            | 1   |
| A16 | Tray Holder 2            | 1   |
| A17 | Tray Holder 4            | 1   |
| A18 | Debris Collection Tray 2 | 1   |



**Attachments:**

| #   | Description       | Qty |
|-----|-------------------|-----|
| A19 | Support Rack      | 1   |
| A20 | Plastic Bin       | 5   |
| A21 | Single Hook       | 10  |
| A22 | Double Hook       | 5   |
| A23 | Triangle Wrench   | 1   |
| A24 | Open Wrench 10 MM | 1   |
| A25 | Open Wrench 17 MM | 1   |

**Hardware** *Not shown in picture:*


| #  | Description            | Qty |
|----|------------------------|-----|
| B1 | M10 x 20               | 40  |
| B2 | M10 Nylon Nut          | 40  |
| B3 | M10 Black-oxide Washer | 16  |
| B4 | M6 x 16                | 24  |
| B5 | M6 Nylon Nut           | 16  |
| B6 | M6 Black-oxide Washer  | 24  |
| B7 | M10 x 30               | 2   |
| B8 | M10 Nut                | 2   |

Additional tools required for assembly supplied by owner (*NOT INCLUDED in the package*): standard adjustable wrench, phillips screwdriver and pliers.




TD5-4830Q-F3

## OPTION 1 & 2




Option 1: Steps 3-10




Option 2: Steps 11-18

The yellow square hole plate can be installed on the left or right side

## STEP 1




Diagonal screws need to be installed on one side first, and then installed on the other side after locking






TD5-4830Q-F3

## STEP 2





## STEP 3





TD5-4830Q-F3

## STEP 4





## STEP 5





TD5-4830Q-F3

## STEP 6





## STEP 7





TD5-4830Q-F3

## STEP 8




## STEP 9




TD5-4830Q-F3

## STEP 10





## STEP 11





TD5-4830Q-F3

## STEP 12




## STEP 13






## STEP 14





## STEP 15





TD5-4830Q-F3

## STEP 16




## STEP 17




TD5-4830Q-F3

## STEP 18



## STEP 19



### Maintenance

Keep the cart clean for optimal performance. Wipe away dust and debris from the tabletop and legs.

### Safety

ALWAYS wear safety goggles, gloves, and other appropriate safety items for protection. Use the cart only for its intended purpose. NEVER stand on the cart. Do not drop the cart, throw it, or otherwise misuse the cart.

### Limited Warranty

Each STRONG HANDTOOL® product is warranted to be free from defects in material and workmanship. Return to place of purchase for a replacement if warranty applies.

**Trick-Tools.com**

75 Truman Road

Pella, IA 50219

Phone: 1-877-VAN-SANT

E-mail: sales@trick-tools.com

