

TABLE OF CONTENTS:

- Specifications
- Maintenance
- Safety
- Warranty

Tabletop Tilt Angle:


0° - 45°, Stop at any position

Tabletop Rotation Angle:


360° free rotation, Stop at every 10°

Voltage /Power:

AC110V 60Hz / 350W

**SPECIFICATIONS**

PN	Tabletop Height	Tabletop Size	Tabletop Thickness	Hole Diameter	Grid Pattern	Load Capacity	Weight
TLA52828	31.5" - 45.3"	30" x 30"	0.47"	0.625"	2" x 2"	660 lb	405 lb
	800 - 1,150 mm	762 x 762 mm	12 mm	15.88 mm	50.8 x 50.8 mm	300 kg	184 kg



MAINTENANCE

- Do not suddenly press heavy objects.
- Always clean the hydraulic cylinder and piston rod to prevent them from entering the hydraulic cylinder and damaging the hydraulic cylinder.
- Always clean the things on the lifting table to prevent them from entering the lifting structure and damaging them.
- Always check the connection parts such as threads and bolts, and tighten them immediately if they are loose.
- If it is not used for a long time, lower the tabletop to the lowest to extend the service life of the lifting structure.

SAFETY

ALWAYS wear safety goggles, gloves, and appropriate safety items for protection.
Use the cart only for its intended purpose.


LIMITED WARRANTY

Each STRONG HAND TOOL product is warranted to be free from defects in material and workmanship. Return to place of purchase for a replacement if warranty applies.

Distributed by: **Trick-Tools.com**

Trick-Tools
75 Truman Road
Pella, IA 50219

Phone: 1-877-VAN-SANT
E-mail: sales@trick-tools.com



Here at Trick Tools we believe that our customers deserve the best value in their tool and equipment purchases. We are constantly at work searching out a variety of high quality, high performance tools to offer at the best prices possible. Our commitment to you is that we will not offer "cheap junk" anywhere on our website. You, the customer, help us to evaluate our products constantly and as soon as an ongoing quality issue is uncovered we will correct it or discontinue that product immediately. We hope to earn your continued trust.